

<b>Product Fiche compliant to commission delegated regulation (EU) No 65/2014</b>	
Brand	HOTPOINT
Model	CH10456GF S
EEI [%] Energy Efficiency Index - Main cavity 1)	131.9
EEI [%] Energy Efficiency Index - Secondary cavity 1)	0
Energy Efficiency Class - Main cavity 2)	B
Energy Efficiency Class - Secondary cavity 2)	
Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)	0
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)	0
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)	1.06
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)	0
Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)	0
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)	0
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)	0
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)	0
Number of cavities	1
Heat source - Main cavity	ELECTRICITY
Heat Source - Secondary cavity	Electric
Usable volume [l] - Main cavity	61
Usable volume [l] - Secondary cavity	63

1) Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

2) From A+++ (low consumption) to D (high consumption).

3) Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

<b>Product Information compliant to commission regulation (EU) No 66/2014</b>			
	<b>Symbol</b>	<b>Value</b>	<b>Unit</b>
Model identification		CH10456G F S	
Type of oven		FANFORC ED	
Mass of the appliance	M	0.0	Kg
Number of cavities		1	
Heat source per cavity (electricity or gas)		ELECTRICI TY	
Volume per cavity - Main cavity	V	61	l
Volume per cavity - Secondary cavity	V	63	l
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity	ECelectric cavity	1.06	kWh/cy cle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cycl e
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cycl e
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cycl e
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cycl e
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy

during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity			cle
Energy Efficiency Index per cavity - Main cavity	EElcavity	131.9	
Energy Efficiency Index per cavity - Secondary cavity	EElcavity	0.0	

1) 1kWh/cycle = 3,6 MJ/cycle

<b>Product Information compliant to commission regulation (EU) No 66/2014</b>			
	<b>Symbol</b>	<b>Format</b>	<b>Unit</b>
Model identification		CH10456 GF S	
Type of hob		Gas	
Number of cooking zones and/or areas		0	
<b>Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plate)</b>			
Left behind		Fast	
Center behind		Auxiliary	
Right behind		Double Face - Multifuncti on	
Left center			
Center center			
Right center			
Left ahead		Semi-Fast	
Center ahead		Double Ring Double Regulatio n	
Right ahead		Double Face - Multifuncti on	
<b>For circular cooking zones: diameter of useful surface area per electric heated cooking zone</b>			
Left behind	∅	0.0	cm
Center behind	∅	0.0	cm
Right behind	∅	0.0	cm
Left center	∅	0.0	cm
Center center	∅	0.0	cm
Right center	∅	0.0	cm
Left ahead	∅	0.0	cm
Center ahead	∅	0.0	cm
Right ahead	∅	0.0	cm
<b>For non-circular cooking zones or areas: length and width of useful surface area per electric heated cooking zone or area</b>			
Left behind	L ; W	0.0 ; 0.0	cm
Center behind	L ; W	0.0 ; 0.0	cm
Right behind	L ; W	0.0 ; 0.0	cm
Left center	L ; W	0.0 ; 0.0	cm
Center center	L ; W	0.0 ; 0.0	cm
Right center	L ; W	0.0 ; 0.0	cm
Left ahead	L ; W	0.0 ; 0.0	cm
Center ahead	L ; W	0.0 ; 0.0	cm
Right ahead	L ; W	0.0 ; 0.0	cm
<b>Energy consumption per cooking zone or area calculated per Kg</b>			
Left behind	ECElectric cooking	0.0	Wh/Kg
Center behind	ECElectric cooking	0.0	Wh/Kg
Right behind	ECElectric cooking	0.0	Wh/Kg
Left center	ECElectric cooking	0.0	Wh/Kg
Center center	ECElectric cooking	0.0	Wh/Kg

Right center	EElectric cooking	0.0	Wh/Kg
Left ahead	EElectric cooking	0.0	Wh/Kg
Center ahead	EElectric cooking	0.0	Wh/Kg
Right ahead	EElectric cooking	0.0	Wh/Kg
Energy consumption for the hob calculated per Kg	EElectric hob	0.0	Wh/Kg
Number of gas fired burners		7	
<b>Energy efficiency per gas burner</b>			
Left behind	EEgas burner	54.2	
Center behind	EEgas burner	0.0	
Right behind	EEgas burner	59.1	
Left center	EEgas burner	0.0	
Center center	EEgas burner	0.0	
Right center	EEgas burner	0.0	
Left ahead	EEgas burner	57.7	
Center ahead	EEgas burner	56.2	
Right ahead	EEgas burner	59.1	
Energy efficiency for the gas hob	EEgas hob	0.0	