

Product Fiche compliant to commission delegated regulation (EU) No 65/2014

| | |
|---|-------------|
| Brand | HOTPOINT |
| Model | CH60GCIW |
| EEI [%] Energy Efficiency Index - Main cavity 1) | 81.52645273 |
| EEI [%] Energy Efficiency Index - Secondary cavity 1) | 99.23045768 |
| Energy Efficiency Class - Main cavity 2) | A+ |
| Energy Efficiency Class - Secondary cavity 2) | A |
| Energy consumption in conventional mode [kWh/cycle] - Main cavity 3) | 1.57 |
| Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3) | 1.36 |
| Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3) | 0 |
| Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3) | 0 |
| Energy consumption in conventional mode [MJ/cycle] - Main cavity 3) | 5.64 |
| Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3) | 4.9 |
| Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3) | 0 |
| Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3) | 0 |
| Number of cavities | 2 |
| Heat source - Main cavity | Gas |
| Heat Source - Secondary cavity | Gas |
| Usable volume [l] - Main cavity | 77 |
| Usable volume [l] - Secondary cavity | 32 |

1) Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

2) From A+++ (low consumption) to D (high consumption).

3) Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

Product Information compliant to commission regulation (EU) No 66/2014

| | Symbol | Value | Unit |
|--|-------------------|--------------|-----------|
| Model identification | | CH60GCIW | |
| Type of oven | | CONVENTIONAL | |
| Mass of the appliance | M | 64.3 | Kg |
| Number of cavities | | 2 | |
| Heat source per cavity (electricity or gas) | | Gas | |
| Volume per cavity - Main cavity | V | 77 | l |
| Volume per cavity - Secondary cavity | V | 32 | l |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity | ECelectric cavity | 1.57 | kWh/cycle |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity | ECelectric cavity | 1.36 | kWh/cycle |
| Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity | ECelectric cavity | 0.00 | kWh/cycle |
| Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity | ECelectric cavity | 0.00 | kWh/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1) | ECgas cavity | 5.64 | MJ/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity | ECgas cavity | 0.00 | kWh/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1) | ECgas cavity | 4.90 | MJ/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity | ECgas cavity | 0.00 | kWh/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1) | ECgas cavity | 0.00 | MJ/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity | ECgas cavity | 0.00 | kWh/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1) | ECgas cavity | 0.00 | MJ/cycle |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an | ECgas cavity | 0.00 | kWh/cy |

| | | | |
|---|-----------|------|-----|
| oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity | | | cle |
| Energy Efficiency Index per cavity - Main cavity | EElcavity | 81.5 | |
| Energy Efficiency Index per cavity - Secondary cavity | EElcavity | 99.2 | |

1) 1kWh/cycle = 3,6 MJ/cycle

| Product Information compliant to commission regulation (EU) No 66/2014 | | | |
|--|-------------------------------|---------------|-------------|
| | Symbol | Format | Unit |
| Model identification | | CH60GCI W | |
| Type of hob | | Gas | |
| Number of cooking zones and/or areas | | 0 | |
| Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plate) | | | |
| Left behind | | Semi-Fast | |
| Center behind | | | |
| Right behind | | Fast | |
| Left center | | | |
| Center center | | | |
| Right center | | | |
| Left ahead | | Fast | |
| Center ahead | | | |
| Right ahead | | Semi-Fast | |
| For circular cooking zones: diameter of useful surface area per electric heated cooking zone | | | |
| Left behind | ∅ | 7.5 | cm |
| Center behind | ∅ | 0.0 | cm |
| Right behind | ∅ | 10.0 | cm |
| Left center | ∅ | 0.0 | cm |
| Center center | ∅ | 0.0 | cm |
| Right center | ∅ | 0.0 | cm |
| Left ahead | ∅ | 10.0 | cm |
| Center ahead | ∅ | 0.0 | cm |
| Right ahead | ∅ | 7.5 | cm |
| For non-circular cooking zones or areas: length and width of useful surface area per electric heated cooking zone or area | | | |
| Left behind | L ; W | 0.0 ; 0.0 | cm |
| Center behind | L ; W | 0.0 ; 0.0 | cm |
| Right behind | L ; W | 0.0 ; 0.0 | cm |
| Left center | L ; W | 0.0 ; 0.0 | cm |
| Center center | L ; W | 0.0 ; 0.0 | cm |
| Right center | L ; W | 0.0 ; 0.0 | cm |
| Left ahead | L ; W | 0.0 ; 0.0 | cm |
| Center ahead | L ; W | 0.0 ; 0.0 | cm |
| Right ahead | L ; W | 0.0 ; 0.0 | cm |
| Energy consumption per cooking zone or area calculated per Kg | | | |
| Left behind | E _{Electric cooking} | 0.0 | Wh/Kg |
| Center behind | E _{Electric cooking} | 0.0 | Wh/Kg |
| Right behind | E _{Electric cooking} | 0.0 | Wh/Kg |
| Left center | E _{Electric cooking} | 0.0 | Wh/Kg |
| Center center | E _{Electric cooking} | 0.0 | Wh/Kg |
| Right center | E _{Electric cooking} | 0.0 | Wh/Kg |
| Left ahead | E _{Electric cooking} | 0.0 | Wh/Kg |
| Center ahead | E _{Electric cooking} | 0.0 | Wh/Kg |
| Right ahead | E _{Electric} | 0.0 | Wh/Kg |

| | | | |
|--|---------------|------|-------|
| | cooking | | |
| Energy consumption for the hob calculated per Kg | EElectric hob | 0.0 | Wh/Kg |
| Number of gas fired burners | | 4 | |
| Energy efficiency per gas burner | | | |
| Left behind | EEgas burner | 58.5 | |
| Center behind | EEgas burner | 0.0 | |
| Right behind | EEgas burner | 60.8 | |
| Left center | EEgas burner | 0.0 | |
| Center center | EEgas burner | 0.0 | |
| Right center | EEgas burner | 0.0 | |
| Left ahead | EEgas burner | 59.0 | |
| Center ahead | EEgas burner | 0.0 | |
| Right ahead | EEgas burner | 60.7 | |
| Energy efficiency for the gas hob | EEgas hob | 0.0 | |