

iQ300 SN636X00KG black 60cm Fully-integrated























varioSpeed Plus for up to 3 times faster dishwashing and drying; innovative technologies for intelligent usability and perfection in every detail.

- ✓ Up to 66% faster dishwashing and drying to a gleaming shine with varioSpeed Plus.
- ✓ infoLight shines whith a blue light on the kitchen floor when running but goes out when the washing and drying cycle is over.
- ✓ More flexibility for more convenient loading with the varioFlex rack & varioDrawer.
- ✓ At the press of a button, the autoProgramme controls the entire dishwashing process for brilliant results.
- ✓ Very efficient dishwashing in energy efficiency class A++.

Feature

Technical Data

Water consumption (I): 9.5 Construction type: Built-in

Height of removable worktop (mm): 815

Required niche size for installation (HxWxD) : 815-875 x 600 x 550

Depth with open door 90 degree (mm): 1150

Adjustable feet : Yes - front only Maximum adjustability feet (mm) : 60 Adjustable plinth : both horizontal and vertical

Net weight (kg): 35.0 Gross weight (kg): 38.0 Connection rating (W): 2400

Current (A) : 13 Voltage (V) : 220-240 Frequency (Hz) : 50; 60

Length of electrical supply cord (cm) : 175

Plug type : GB plug

Length inlet hose (cm): 165 Length outlet hose (cm): 190 EAN code: 4242003800485 Number of place settings: 13

Energy efficiency class - NEW (2010/30/EC) : A++

Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 262

Energy consumption (kWh): 0.92

Power consumption in left-on mode (W) - NEW (2010/30/EC) : 0.10 Power consumption in off-mode (W) - NEW (2010/30/EC) : 0.10 Water consumption annual (l/annum) - NEW (2010/30/EC) : 2660

Drying performance : A Reference programme : Eco

Total cycle time of reference programme (min): 210

Noise level (dB(A) re 1 pW) : 46 Installation type : Full-integrated



Optional accessories

SZ72010 inlet and outlet hose extention 2 m



iQ300 SN636X00KG black 60cm Fully-integrated

Features

Performance

- Energy Efficiency Class: A++
- Capacity: 13 place settings
- Energy consumption in Eco 50 programme: 262 kWh per year, based on 280 standard cleaning cycles
- Water consumption in Eco 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Eco 50 programme: 210 minutes
- Noise level dB (A) re 1pW: 46 dB
- Energy consumption in Eco 50 programme: 0.92 kWh
- Water consumption in Eco 50 programme: 9.5 litres

Programmes/functions

- \bullet 6 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Glass 40 °C, 1 hour 65 °C, Pre rinse
- 5 temperatures
- 2 special options: varioSpeed Plus, Extra Dry
- Machine Care 30 cycle reminder to run cleaning programme

Flexible design elements

- varioFlex baskets
- varioDrawer
- Silver baskets
- 3 stage rackMatic height-adjustable top basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 foldable cup shelves in top basket

Innovations and technology


- hydroDry hygienic and efficient drying
- dosageAssist detergent dispenser
- Automatic detergent-aware system
- hydroSensor, loadSensor
- hydroSafe ultimate 24hr anti leak system with guarantee

Design features

- Controls on top edge of door
- acoustic end of cycle indicator, internal remaining programme time indicator (minutes), water inlet indicator
- Time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator
- Blue infoLight
- Colour of indicators: Colour of indicators: blue/white
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Front-adjustable rear foot
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- Stainless steel/polinox interior
- Large item spray head, steam protection plate
- Efficiency information relates to the Eco 50 programme. This
 programme is suitable for cleaning normally soiled tableware and
 is the most efficient programme in terms of combined energy and
 water consumption.



iQ300 SN636X00KG black 60cm Fully-integrated



min. 90 max. 220

measurements in mm